


For Immediate Release:

## **New Tool Allows Scientists to Peer Inside Neutron Stars**

**Princeton, NJ, Oct. 17, 2022** – Imagine taking a star twice the mass of the Sun and crushing it to the size of Manhattan. The result would be a neutron star—one of the densest objects found anywhere in the Universe, exceeding the density of any material found naturally on Earth by a factor of tens of trillions. Neutron stars are extraordinary astrophysical objects in their own right, but their extreme densities might also allow them to function as laboratories for studying fundamental questions of nuclear physics, under conditions that could never be reproduced on Earth.



NASA/Goddard Space Flight Center

Because of these exotic conditions, scientists still do not understand what exactly neutron stars themselves are made from, their so-called “equation of state” (EoS). Determining this is a major goal of modern [astrophysics](#) research. A new piece of the puzzle, constraining the range of possibilities, has been discovered by a pair of scholars at IAS: [Carolyn Raithel](#), John N. Bahcall Fellow in the School of Natural Sciences; and [Elias Most](#), Member in the School and John A. Wheeler Fellow at Princeton University. Their work was recently published in [The Astrophysical Journal Letters](#).

Ideally, scientists would like to peek inside these exotic objects, but they are too small and distant to be imaged with standard telescopes.

---

Scientists rely instead on indirect properties that they can measure—like the mass and radius of a neutron star—to calculate the EoS, the same way that one might use the length of two sides of a right-angled triangle to work out its hypotenuse. However, the radius of a neutron star is very difficult to measure precisely. One promising alternative for future observations is to instead use a quantity called the “peak spectral frequency” (or  $f_2$ ) in its place.

But how is  $f_2$  measured? Collisions between neutron stars, which are governed by the laws of Einstein’s Theory of Relativity, lead to strong bursts of gravitational wave emission. In 2017, scientists [directly measured such emissions](#) for the first time. “At least in principle, the peak spectral frequency can be calculated from the gravitational wave signal emitted by the wobbling remnant of two merged neutron stars,” says Most.

It was previously expected that  $f_2$  would be a reasonable proxy for radius, since—until now—researchers believed that a direct, or “quasi-universal,” correspondence existed between them. However, Raithel and Most have demonstrated that this is not always true. They have shown that determining the EoS is *not* like solving a simple hypotenuse problem. Instead, it is more akin to calculating the longest side of an *irregular* triangle, where one also needs a third piece of information: the angle between the two shorter sides. For Raithel and Most, this third piece of information is the “slope of the mass-radius relation,” which encodes information about the EoS at higher densities (and thus more

---

extreme conditions) than the radius alone.

This new finding will allow researchers working with the next generation of gravitational wave observatories (the successors to the currently operating [LIGO](#)) to better utilize the data obtained following neutron star mergers. According to Raithel, this data could reveal the fundamental constituents of neutron star matter. “Some theoretical predictions suggest that within neutron star cores, phase transitions could be dissolving the neutrons into sub-atomic particles called quarks,” stated Raithel. “This would mean that the stars contain a sea of free quark matter in their interiors. Our work may help tomorrow’s researchers determine whether such phase transitions actually occur.”

### **About the Institute**

The Institute for Advanced Study has served the world as one of the leading independent centers for theoretical research and intellectual inquiry since its establishment in 1930, advancing the frontiers of knowledge across the sciences and humanities. From the work of founding IAS faculty such as Albert Einstein and John von Neumann to that of the foremost thinkers of the present, the IAS is dedicated to enabling curiosity-driven exploration and fundamental discovery.

Each year, the Institute welcomes more than 200 of the world’s most promising post-doctoral researchers and scholars who are selected and mentored by a permanent Faculty, each of whom are preeminent leaders in their fields. Among present and past Faculty and Members there have been 35 Nobel Laureates, 44 of the 62 Fields Medalists, and 22 of the 25

---

Abel Prize Laureates, as well as many MacArthur Fellows and Wolf Prize winners.

## Contact

Lee Sandberg

Communications and Public Relations Manager

[lsandberg@ias.edu](mailto:lsandberg@ias.edu)

609-455-4398



*Copyright © 2022 Institute for Advanced Study, All rights reserved.*

Want to change how you receive these emails?

You can [update your preferences](#) or [unsubscribe from this list](#)

---